

DATASHEET

AQUAlogger® 540

Midi logger



Temperature, pressure - to 4000m

IDEAL FOR DEEP WATER RESEARCH AND REAL TIME MONITORING

KEY FEATURES

- Compact, self-contained logger
- High speed data connection
- Real time reporting capability as standard
- Custom solutions beyond 4000m
- Quick and easy deployment
- Pressure to depth conversion

APPLICATIONS

- Deep water temperature distribution surveys
- Real time oceanographic and environmental monitoring

MODELS

- Temperature logger
- Temperature & pressure logger

SENSOR SPECIFICATIONS

	Temperature	Pressure
Sensor type	Thermistor	Piezo-resistive bridge
Ranges	-2 to 30°C standard, other ranges on request	5 bar (~40m), 11 bar (~100m); 51 bar (~500m), 101 bar (~1000m), 201 bar (~2000m), 401 bar (~4000m) (Other sensors available on request)
Resolution	better than 0.007°C	better than 0.01% full scale
Accuracy	±0.05°C	typically better than 0.2% full scale
Time constant	better than 5 seconds to 63% of the change in value	N/A

LOGGER SPECIFICATION

Data storage capacity	Greater than 4M parameter readings, in non-volatile FLASH
Logging lifetime	Depends on logging parameters - up to 1 year
Data retention	>10 years
Burst sampling	Bursts every 1 - 255 seconds or 1 - 255 minutes
Within-burst rate	From 1 Hz to once every 30 seconds
Burst averaging	Bursts may be averaged to a single data value
Communication	RS232 or RS422 (specify) and USB 1.1, bus powered
Optional extra inputs	2 channels 0-5V external
Optional controls	External trigger input or output
Battery	3 x 3.6V Custom Lithium 'AA' cell pack
Software	AQUAtalk for Windows for configuration and download
Attachment	Single attachment through mounting hole or use clamp
Maximum depth	1000m standard version (acetal) 4000m deepwater version (stainless steel)

Contact us

t +44 (0)1256 416010 (UK) **t** 1-281-220-6035 (USA)
e inquiry@aquatecgroup.com www.aquatecgroup.com

AQUAlogger® is a registered trademark of Aquatec Group Limited. All trademarks & registered trademarks are acknowledged. Aquatec reserves the right to make changes to the specifications contained in this document without notice in the interests of maintaining or improving product quality. Document copyright © 2015 Aquatec Group. AQL540D-Jan16v2.